PAREXUSA

Revision Date: 04/15/15

1 Identification of the substance/preparation and of the company/undertaking

Product details

Product category: Trade name: Application/preparation of the substance: Manufacturer/Supplier: FAÇADE VARIANCE ANTIQUING GEL Specialty Finishes PAREXUSA, Inc. 4125 E. LA PALMA AVE SUITE 250 ANAHEIM, CA 92807 carlos.nones@parexusa.com 951-653-3549 800-424-9300

Further information obtainable from: Contact phone number: In case of emergency, contact CHEMTREC:

2 Hazards identification

Hazard pictograms (GHS-US):	Irritant	
	Health Hazards	
Signal word (GHS-US):	Warning	
Hazard statement (GHS-US):	H303	Can be harmful if swallowed
	H320	Causes eye irritation
	H335	May cause respiratory irritation
	H313	May be harmful in contact with skin
Precautionary statements (GHS-US):	P402	Store in a dry place.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: If breathing is difficult, remove victim to fresh
	P304+P341	air and keep at rest in a position comfortable for breathing
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
HMIS codes:		
Health	1	

Reactivity

Flammability

Protective equipment

Information concerning particular hazards for human and environment:

May be harmful if ingested.

Dust may be irritating to eyes, respiratory system, and skin.

Not known to cause reproductive harm or birth defects.

Keep out of reach of children.

0

В

Dangerous components:		
CAS #	Name	Exposure Limit
51200-87-4	4,4 Dimethyloxazolidine	none established
Additional information:	n/a	
First aid measures		
General information:	n/a	
After inhalation:	Remove to fresh air. If not breathing, gi breathing, give oxygen. Get immediate	ive artificial respiration. If having difficulty medical attention.
After skin contact:	Wash affected area thoroughly with so launder before re-use.	ap and water. Remove contaminated clothes and
After eye contact:	Immediately flush eyes with plenty of v attention.	vater for at least 15 minutes. Get medical
After swallowing:	Do not induce vomiting. Get medical at	tention immediately.
General information: Flash point: Suitable extinguishing agents:	Water- based product. n/a For the dried product, use carbon dioxide, dry chemical, or alcohol foam.	
Hazardous combustion products:	Incomplete combustion of dried product can yield low molecular weight hydrocarbons, carbon monoxide, and carbon dioxide.	
Protective equipment:	n/a	
Firefighting instructions:	should not be used except as fog to kee	to avoid inhalation of combustion products. Water op nearby containers cool. Water may be used to sure build-up and exposed to extreme heat.
Accidental release measures Measures for environmental protection:	Keep spilled products out of sewers, str	reams, and water systems.
Measures for cleaning/collecting:		nd scooping. Transfer collected material to a eation of dust. For wet material, scoop material up w material to dry before disposal.

7 Handling and storage

Handling:

Wear appropriate protective equipment when working with this product. Promptly remove dusty clothing, or clothing wet with product mix, and launder before re-using. Wash thoroughly after exposure to product mixtures. Keep out of reach of children.

Storage:

Store in a dry location. Atmospheric temperatures and pressures do not affect the shelf life of this product.

8 Exposure controls/personal protection

Additional information about design of technical facilities: n/a

Ingredients with limit values that require monitoring at the workplace:			
51200-87-4	4,4 Dimethyloxazolidine	none established	

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSHapproved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find how low to protect yourself and your family by contacting the National Lead Hotline at 1800-424-LEAD or log onto www.epa.gov/lead

Additional information:	The lists valid during the making were used as a basis.
Personal protective equipment: ventilation	Use local exhaust. General exhaust acceptable if the exposure to materials above is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.
respiratory protection	If personal exposure cannot or may not be controlled below applicable limits by ventilation, wear properly fitted respirator approved by NIOSH/MSHA for protection against materials described above.
eye protection skin protection	Wear safety glasses to reduce the potential for eye contact. Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

9 Physical and chemical properties

General information:	
form	Fluid
color	colored
odor	Mild ammonia
рН	8.0-10.0
Change in condition:	
melting point/melting point range	32'F
boiling point/boiling point range	190-212'F
evaporation rate:	Slower than ether
vapor density:	Heavier than air
Specific gravity:	1.05
Solubility in/Miscibility with water:	dispersible
Density at 20°C:	8.73 lb/gal
VOC:	32g/L (0.2651lb/gal)

10	Stability and reactivity	
	Conditions to be avoided:	None known
	Chemical stability:	Stable
	Materials to be avoided:	None known
	Hazardous polymerization:	Will not occur
	Dangaraus dagamnasitian products	

Dangerous decomposition products:

Will not spontaneously occur. By Fire- low molecular weight hydrocarbons, carbon dioxide and monoxide.

11	Toxicological information	
	Acute toxicity:	
	n/a	
	Primary irritant effect:	
	on the skin	Exposure of skin to wet product may cause chemical burns. Symptoms of exposure may take several hours to manifest.
	on the eye	Exposure of eyes to wet product may cause chemical burns and blindness. Exposure to airborne dust can cause immediate or delayed irritation or inflammation.
	through ingestion	May be harmful if ingested.
	through inhalation	Dust generated during handling this product may cause irritation to the respiratory tract.
	Additional toxicological information:	n/a

Elimination (persistence and degradability):n/aBehavior in environmental systems:n/aMobility and bioaccumulation potential:n/aGeneral notes:n/a	12 Ecological information	
Mobility and bioaccumulation potential: n/a	Elimination (persistence and degradability):	n/a
	Behavior in environmental systems:	n/a
General notes: n/a	Mobility and bioaccumulation potential:	n/a
	General notes:	n/a

13 Disposal considerations	
Product recommendation:	This product must be disposed of in accordance with applicable local, state and federal regulations. Where possible, it is best to use up any excess material.
Un-cleaned packaging recommendation:	Disposal must be made according to official regulations.
14 Transport information	
Land transport USDOT	Not classified as a dangerous good under transport regulations
Sea transport IMDG	Not classified as a dangerous good under transport regulations

	0	0		•	0	
Not classified as a	dangerou	ıs good	under trar	nsport	regulation	s

15 Regulatory informa	

Air transport IATA/ICAO

US Federal re	egulations
CERCLA, sect	tion 103 (40CRF302.4)
	product contains the following toxic chemicals that require notification of the National Response Center of releases of ntities of hazardous substances equal to or greater than the Reportable Quantities (RQ):
	No reportable quantities are present.
Clean Air Act	t, section 112
	product contains the following components present at or above the minimum level and listed as Hazardous or Extremely ardous Air Pollutants:
	No reportable quantities are present.
SARA, section	n 302 (40CFR355.30) and section 304 (40CFR355.40)
	product contains the following items that require emergency planning based on Threshold Planning Quantities (TPQ) or release orting based on RQ:
	No reportable quantities are present.

		Fire: No	Pressure generating: No Reactivity: No Chronic health: No		Reactivity: No
		Acute health: No			
SARA,	section 313 (40CFR372.65)				
	This product contains the Amendment and Reauthor	following substances subject to the r rization Act of 1986:	reporting require	ements of Section 31	3 of Title III of the Superfund
		4,4 Dimethyloxazolidine	CAS #	51200-87-4	
EPA VC	OC regulations				
	Theoretical VOC for this product =32g/L (0.2651lb/gal)				
TSCA					
	All components of this product are listed, or are exempt from listing on the TSCA inventory.				
OSHA					
	This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazar Communication Standard (29 CFR1910.1200). Unlisted ingredients are not 'hazardous' per OSHA standards.				
	In addition to items listed in Section 11, this product contains the following items that are specifically regulated by OSHA. Exposure limits may be found in Section 8.				
		No reportable quar	ntities are prese	nt.	

California

Warning - The following chemicals are present in this coating product in small amounts. These chemicals are listed by the California EPA as materials known to the State of California to cause cancer, (and/or) birth defects, (and/or) other reproductive harm:

None

16 Other information

The information and recommendation set forth herein are believed to be accurate. Because some of the information used to prepare this document is derived from information provided to PAREXUSA, Inc. from its suppliers, and because PAREXUSA, Inc. has no control over the conditions of handling and use, PAREXUSA, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof and assumes no responsibility from use or reliance thereon. It is the responsibility of the user of PAREXUSA, Inc. products to comply with all applicable federal, state, and local laws and regulations.